











### Parallel Style Series Variations




Series	Sizes													Page No.			
	6	8	10	12	15	16	20	25	30	32	40	50	63		80	100	125
	External gripping force (at 0.5 MPa) N																
<b>MHZA2/MHZAJ2-6</b>	Compact series (without auto switch)																1005
	●																
	3.3																
<b>MHZ2</b>	Standard type																1008
	●	●				●	●	●		●	●						
	3.3	11				34	42	65		158	254						
<b>MHZJ2</b>	Standard type with dust cover																1008
	●	●				●	●	●									
	3.3	11				34	42	65									
<b>MHZL2</b>	Long stroke type																1021
		●				●	●	●									
		11				34	42	65									
<b>MHF2</b>	Low profile																1026
	●	●				●	●										
	19	48				90	141										
<b>MHL2</b>	Wide opening																1039
		●				●	●	●		●	●						
		14				45	74	131		228	396						
<b>MHR2</b>	Rotary actuated (2 finger)																1046
		●	●			●		●									
		12	24			33		58									
<b>MHR3</b>	Rotary actuated (3 finger)																1055
		●	●														
		12	24														
<b>MHK2</b>	Wedge Cam Operation Slide Guide																1058
			●			●	●	●									
			15			31	46	80									


Grippers



### Auto Switch Guide Section



## Parallel Style Series Variations



Series	Sizes													Page No.				
	6	8	10	12	15	16	20	25	30	32	40	50	63		80	100	125	
External gripping force (at 0.5 MPa) N																		
<b>MHS2</b>			Slide guide type - 2 Finger															1064
									●	●	●		●	●	●	●		
<b>MHS3</b>			Slide guide type - 3 Finger															1068
									●	●	●		●	●	●	●	●	
<b>MHSJ3</b>			Slide guide type - 3 Finger with dust cover															See Best Pneumatics catalogue
									●	●	●		●	●	●	●		
<b>MHSH3</b>			Slide guide type - 3 Finger, through hole type															See Best Pneumatics catalogue
									●	●	●		●	●	●	●		
<b>MHSL3</b>			Slide guide type - 3 Finger, long stroke type															See Best Pneumatics catalogue
									●	●	●		●	●	●	●	●	
<b>MHS4</b>			Slide guide type - 4 Finger															1073
									●	●	●		●	●	●	●		



## Auto Switch Guide Section

Page No. 1101




CAD CD-ROM AVAILABLE




SEE BEST PNEUMATICS VOL.12









PDF AVAILABLE ONLINE





### Angular Style Series Variations



Series	Sizes														Page No.	
	6	7	10	12	15	16	20	25	30	32	40	50	63	80		100
External gripping moment (at 0.5 MPa) N.m																
<b>MHC2-6/MHCA2-6</b>	Short body type														1077	
	●															
0.038																
<b>MHCM2-7S</b>	Compact type														1080	
	●															
0.017																
<b>MHC2</b>	Standard type														See Best Pneumatics catalogue	
		●				●	●	●								
0.10      0.39   0.70   1.36																
<b>MHT2</b>	Toggle type														1081	
										●	●	●	●			
12.4   36   63   106																
<b>MHY2</b>	180° angular, cam style														1084	
		●				●	●	●								
0.16      0.54   1.10   2.28																
<b>MHW2</b>	180° angular, rack and pinion style														1089	
							●	●		●	●	●				
0.30   0.73      1.61   3.70   8.27																

### Rotary Gripper

Series	Rotation angle		Sizes														Page No.
	90°	180°	6	7	10	12	15	16	20	25	30	32	40	50	63	80	
External gripping force (at 0.5 MPa) N																	
<b>MRHQ</b>	Rotary Gripper														1095		
	●	●			●			●	●	●							
±10°   ±10°      9      30   40   65																	



**Auto Switch Guide Section**

1101

**Trimmer Auto Switch**

1109